

DENOX 2


Criteria:

Identification

Completeness

Mechanical damage

Corrosion



DENOX 2

Criteria:

Identification

Part number must be legible



Acceptable

DENOX 2


Criteria:

Completeness

Aggregate was opened/screws are loose/screws are missing is acceptable;
Missing drain bolts is acceptable



Acceptable



Acceptable

DENOX 2

Criteria:

Completeness

Protective undercoating present or missing is acceptable



Acceptable

DENOX 2

Criteria:

Mechanical damage

Damaged cover is acceptable;
Pressure adjusting is opened or
damaged is acceptable



Acceptable



Acceptable

DENOX 2

Criteria:

Mechanical damage

DAE/Pressure adjusting is opened or damaged is acceptable



Acceptable



Acceptable

DENOX 2

Criteria:

Mechanical damage

Housing filled with liquid, damage on electrical plugs, damaged housing and coldfold on cover is acceptable



Acceptable



Acceptable

DENOX 2

Criteria:

Mechanical damage

Damaged thread is acceptable



Acceptable

DENOX 2

Criteria:

Corrosion

Corrosion at aluminum parts (housing and cover) is acceptable



Acceptable



Acceptable

DENOX 2

Additional information

Painted housing is acceptable



Acceptable